


## 24 inch All Gas Range, 4 Burners Master Series

\$ 2,599



### **MAS244GASXV**

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

The high-efficiency maintop with 4 burners features a dual ring 19,000 BTU power-burner that boils water in under 6 minutes (best in class), and 3 additional burners of variable size and power to suit every style of cooking, with delicate simmer at 750 BTUs.

The 2.5 cubic feet oven cavity has a convection fan for balanced airflow and even temperature baking and roasting on multiple levels. The extra wide infrared gas broiler is ideal for grilling and searing at high heat. The large interior oven glass door maximizes interior volume and can be wiped clean without effort.

All Bertazzoni appliances are covered by a 2-year warranty.

[Guarda online](#)

# Specifications

## Features

### Worktop

Size	24 in
Cooking zones	4
Number of gas zones	4 burners
Worktop type	gas
Knobs	solid metal
Burner type	aluminum
Grates	cast iron
Continous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Simmer ring	yes

### Cooking zones

Power burners	1300 BTU/h - 19 000 BTU/h (1)
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)
Medium burner	1500 BTU/h - 5900 BTU/h (1)
Simmer burner	750 BTU/h - 3500 BTU/h (1)

### Oven cavity

Oven configuration	single
Oven fuel	gas
Oven type	fan assisted gas
Oven broiler type	gas
Cooking modes	bottom bake / broil / defrosting / dehydrate / gas convection / oven light
Oven volume	2.5 ft <sup>3</sup>
Oven convection system	single
Oven controls	knobs
Inner oven door	triple

Removable inner glass	yes
Cooling fan	yes
Oven levels	5
Door hinges	soft-motion
Sliding shelves	1 set of telescopic guides
Wire-shelves	2
Tray	1 baking tray with grill trivet
Grill trivet for tray	yes
Oven lights	single

**Bottom**


Storage compartment	flap
Legs	stainless steel

**Technical specifications**

Absorbed current (A)	2.5 A with dedicated circuit
Electrical supply	110V 60Hz 300 W

**Dimensions**

**LEG DETAILS**



**FRONT VIEW**

